

# WHY YAMAHA





## A RELIABLE, EFFICIENT, SUPERIOR ELECTRIC CAR



### QUALITY & STYLE

- Luxury Design
- Largest & most comfortable seats in the industry
- Automotive Style Dash



### TECHNOLOGY

- Yamaha-built smart charger & Motor Control Unit for maximum efficiency
- Shock absorbing bumper for enhanced protection
- Independent front suspension



### RELIABILITY

- Lowest Maintenance Cost in the Industry
- All India Service Network
- Spare Parts Backup



# WHY YAMAHA



## 4 REASONS AT LEAST ...



### LEADING THE INDUSTRY IN EVERYTHING WE DO

We just want to be the best at everything we do: designing products, making products and serving the customers who buy our products



**YAMAHA PRODUCTS ARE RECOGNIZED THE WORLD OVER FOR SUPERIOR QUALITY** in design, technology, craftsmanship and customer-oriented services



**YAMAHA IS NUMBER ONE BRAND IN THE AUTOMOTIVE INDUSTRY**



**MOST COMPETITIVE PRICE**, coupled with unparalleled features, makes **YAMAHA THE BEST CHOICE FOR YOU**

## Technical Specifications



**2 Seater**  
All Forward Facing Seats  
**Seating Capacity:** 2 Persons  
**Turning Radius:** 2.8 metre  
**Overall Length:** 2380 mm



**4 Seater**  
2 Forward & 2 Rear Facing Seats  
**Seating Capacity:** 4 Persons  
**Turning Radius:** 2.8 metre  
**Overall Length:** 2850 mm



**4 Seater**  
All Forward Facing Seats  
**Seating Capacity:** 4 Persons  
**Turning Radius:** 4.4 metre  
**Overall Length:** 3230 mm



**6 Seater**  
4 Forward & 2 Rear Facing Seats  
**Seating Capacity:** 6 Persons  
**Turning Radius:** 4.4 metre  
**Overall Length:** 3760 mm



**6 Seater**  
All Forward Facing Seats  
**Seating Capacity:** 6 Persons  
**Turning Radius:** 5.7 metre  
**Overall Length:** 4085 mm

## Common Specifications

Overall Width	1200 mm	Charger	Stationery Constant Current Charger   Make: Delta-Q
Overall Height (Sun top)	1785 mm	Brakes	Self adjusting rear drum
Wheel Base	1640 mm	Parking Brake	Pedal Brake
Front Wheel Tread	870 mm	Frame	Robotic welded automotive ladder-style steel frame protected with a multi-step full immersion phosphate treatment electro - deposition epoxy-based coating and an electrostatic applied polyester
Rear Wheel Tread	980 mm		
Min. Ground Clearance	105 mm		
Batteries	Trojan T-875 8 VOLT X 6 PCS	Body	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane
Voltage Rating	48 Volt		
Output Rating & Make	4.4 HP (3.3 Kw) Make: MAHLE	Front Suspension	Fully independent automotive-style strut suspension
Tire Size	18.00 x 8.50 - 8.00 (4 ply)	Rear Suspension	Swing arm with coil springs
Max.Forward Speed Adj.	24 Km/H	Steering	Rack and Pinion
Drive System	AC Motor	Windshield	Fold-Down Clear
Battery Watering System	Trojan Battery Single Point Watering System for easy maintenance	Warranty	1 Year (against any manufacturing defects)



## Color Options



## Options and Accessories



Side Mirror



Sand Bottle Kit



Club & Ball Washer



Light Kits



Cooler Kit




Battery




Rain Cover



Tire



5 Panel Mirror Kit





**WE ARE HERE**



**Authorized Sole Distributor for INDIA**

**Irrigation Products International**

**Your Total Solution Provider**

No: 4/112, East Coast Road, Neelankarai, Chennai - 600 115, INDIA

Tel: +91 44 - 24494387 / 389 Fax: +91 44 - 24494388

Email: [golfcar@ipi-india.com](mailto:golfcar@ipi-india.com) / [sales@ipi-india.com](mailto:sales@ipi-india.com)

Website: [www.ipi-india.com](http://www.ipi-india.com) / [www.golfcart.net.in](http://www.golfcart.net.in)

